

# BMTS

Broome County Office Building  
P.O. Box 1766  
Binghamton, New York 13901

Dom Dellos  
Colesville / Stratmill / Corporate  
Kirkwood  
Overcast and a blast

File Name : Colesville and Stratmill and Corporate PM  
Site Code : 253.1  
Start Date : 8/13/2010  
Page No : 1

## Groups Printed- Unshifted - Heavy Vehicles


Start Time	Colesville From North					Corporate From East					Colesville From South					Stratmill From West					Int. Total
	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	
03:00 PM	4	14	13	0	31	2	6	11	0	19	91	52	15	0	158	0	2	2	0	4	212
03:15 PM	7	20	17	0	44	2	7	12	0	21	89	57	17	0	163	0	2	1	0	3	231
03:30 PM	1	20	15	0	36	1	8	18	0	27	106	56	24	0	186	1	2	3	0	6	255
03:45 PM	6	20	18	0	44	2	4	15	0	21	81	59	18	0	158	0	1	3	0	4	227
Total	18	74	63	0	155	7	25	56	0	88	367	224	74	0	665	1	7	9	0	17	925
04:00 PM	2	28	24	0	54	3	5	12	0	20	82	38	17	0	137	3	6	1	0	10	221
04:15 PM	2	26	15	0	43	1	5	11	0	17	96	52	25	0	173	0	6	2	0	8	241
04:30 PM	0	22	21	0	43	1	3	12	0	16	77	46	12	0	135	0	4	1	0	5	199
04:45 PM	2	20	13	0	35	2	10	11	0	23	85	47	9	1	142	1	7	3	0	11	211
Total	6	96	73	0	175	7	23	46	0	76	340	183	63	1	587	4	23	7	0	34	872
05:00 PM	1	18	11	0	30	1	5	7	0	13	32	46	7	0	85	0	3	1	0	4	132
05:15 PM	4	16	9	0	29	1	4	8	0	13	43	35	9	0	87	0	1	1	0	2	131
Grand Total	29	204	156	0	389	16	57	117	0	190	782	488	153	1	1424	5	34	18	0	57	2060
Apprch %	7.5	52.4	40.1	0		8.4	30	61.6	0		54.9	34.3	10.7	0.1		8.8	59.6	31.6	0		
Total %	1.4	9.9	7.6	0	18.9	0.8	2.8	5.7	0	9.2	38	23.7	7.4	0	69.1	0.2	1.7	0.9	0	2.8	
Unshifted	29	192	140	0	361	14	56	117	0	187	652	462	147	1	1262	2	31	18	0	51	1861
% Unshifted	100	94.1	89.7	0	92.8	87.5	98.2	100	0	98.4	83.4	94.7	96.1	100	88.6	40	91.2	100	0	89.5	90.3
Heavy Vehicles	0	12	16	0	28	2	1	0	0	3	130	26	6	0	162	3	3	0	0	6	199
% Heavy Vehicles	0	5.9	10.3	0	7.2	12.5	1.8	0	0	1.6	16.6	5.3	3.9	0	11.4	60	8.8	0	0	10.5	9.7

# BMTS

Broome County Office Building  
 P.O. Box 1766  
 Binghamton, New York 13901

Dom Dellos  
 Colesville / Stratmill / Corporate  
 Kirkwood  
 Overcast and a blast

File Name : Colesville and Stratmill and Corporate PM  
 Site Code : 253.1  
 Start Date : 8/13/2010  
 Page No : 2



# BMTS

Broome County Office Building  
 P.O. Box 1766  
 Binghamton, New York 13901

Dom Dellos  
 Colesville / Stratmill / Corporate  
 Kirkwood  
 Overcast and a blast

File Name : Colesville and Stratmill and Corporate PM  
 Site Code : 253.1  
 Start Date : 8/13/2010  
 Page No : 3

Start Time	Colesville From North					Corporate From East					Colesville From South					Stratmill From West					Int. Total
	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	
Peak Hour Analysis From 03:00 PM to 05:00 PM - Peak 1 of 1																					
Peak Hour for Entire Intersection Begins at 03:30 PM																					
03:30 PM	1	20	15	0	36	1	8	18	0	27	106	56	24	0	186	1	2	3	0	6	255
03:45 PM	6	20	18	0	44	2	4	15	0	21	81	59	18	0	158	0	1	3	0	4	227
04:00 PM	2	28	24	0	54	3	5	12	0	20	82	38	17	0	137	3	6	1	0	10	221
04:15 PM	2	26	15	0	43	1	5	11	0	17	96	52	25	0	173	0	6	2	0	8	241
Total Volume	11	94	72	0	177	7	22	56	0	85	365	205	84	0	654	4	15	9	0	28	944
% App. Total	6.2	53.1	40.7	0		8.2	25.9	65.9	0		55.8	31.3	12.8	0		14.3	53.6	32.1	0		
PHF	.458	.839	.750	.000	.819	.583	.688	.778	.000	.787	.861	.869	.840	.000	.879	.333	.625	.750	.000	.700	.925

